Author index

Abe, T., see Yanagisawa, H. (1088) 380
Amano, H., Ives, C.L., Bott, K.F. and Shishido, K.
A limited number of *Bacillus subtilis* strains carry a tetracycline-resistance determinant at a site close to the origin of replication (1088) 251
Au, D.M.Y., see Murphy, D.J. (1088) 86
Autexier, C., Wragg-Légaré, S. and DuBow, M.S.
Characterization of the *Pseudomonas aeruginosa* transposable phage D3112 left-end regulatory region (1088) 147

Bach, M. and Lührmann, R.
Protein–RNA interactions in 20S U5 snRNPs (1088) 139
Bambara, R.A. and Jessee, C.B.
Properties of DNA polymerases δ and ϵ, and their roles in eukaryotic DNA replication (1088) 11
Bandorowska, J., see Staron, K. (1088) 36
Barker, H.M., see McPartlin, A.E. (1088) 308
Bartonek-Roxå, E., Eriksson, H. and Mattiasson, B.
The cDNA sequence of a neutral horseradish peroxidase (1088) 245
Beaune, P., see Ged, C. (1088) 433
Beppu, T., see Hashimoto, Y. (1088) 225
Beppu, T., see Tamaki, T. (1088) 292
Berreur, P., see Tiveron, M.-C. (1088) 390
Blaas, D., see Thalmann, E. (1088) 301
Boldyreff, B., Piontek, K., Schmidt-Spaniol, I. and Issinger, O.-G.
The β subunit of casein kinase II: cloning of cDNAs from murine and porcine origin and expression of the porcine sequence as a fusion protein (1088) 439
Bon, C., see Bouchier, C. (1088) 401
Bonfils, C., Hébert, J. and Tsang, A.
A 27-bp deletion is responsible for the expression of a variant CABP1, a cyclic AMP-binding protein of *Dictyostelium discoideum* (1088) 145
Bott, K.F., see Amano, H. (1088) 251
Bouchier, C., Boulain, J.-C., Bon, C. and Ménez, A.
Analysis of cDNAs encoding the two subunits of crotoxin, a phospholipase A_2 neurotoxin from rattlesnake venom: the acidic non enzymatic subunit derives from a phospholipase A_2-like precursor (1088) 401
Boulain, J.-C., see Bouchier, C. (1088) 401
Bourque, D.P., see Ciaccio, P.J. (1088) 319
Breer, H., see Krieger, J. (1088) 277
Brégégère, F., see Tiveron, M.-C. (1088) 390
Burri, M., see Gruber, A. (1088) 151

Callaci, J.J. and Smarrelli, Jr., J.
Regulation of the inducible nitrate reductase isoform from Soybeans (1088) 127
Caradonna, S., see Muller, S.J. (1088) 197
Cassiman, J.-J., see Devriendt, K. (1088) 95
Casteels, R., see Eggermont, J.A. (1088) 448
Cech, D., see Kubareva, E.A. (1088) 395
Chan, W.Y., see Ho, W.K.K. (1088) 311
Chang, D.C., see Zheng, Q. (1088) 104
Chang, W.-C., see Chen, H.-T. (1088) 315
Chen, H.-T., Chiou, C.-S. and Chang, W.-C.
Cloning and characterization of the carp prolactin gene (1088) 315
Chihara, T., see Uehara, T. (1088) 41
Chiou, C.-S., see Chen, H.-T. (1088) 315
Choi, Y.-L., Kawase, S., Kawamukai, M., Sakai, H. and Komano, T.
Regulation of *glpD* and *glpE* gene expression by a cyclic AMP-cAMP receptor protein (cAMP-CRP) complex in *Escherichia coli* (1088) 31
Ciaccio, P.J., Graves, P.E., Bourque, D.P., Glinsmann-Gibson, B. and Halpert, J.R.
cDNA and deduced amino acid sequences of a dog liver cytochrome *P*-450 of the IIIA gene subfamily (1088) 319
Cohen, P.T.W., see McPartlin, A.E. (1088) 308
Cummins, I., see Murphy, D.J. (1088) 86
Czerwinski, R.M., see Staron, K. (1088) 36

Darkin-Rattray, S.J. and Ralph, R.K.
Evidence that a protein kinase enhances amsacrine mediated formation of topoisomerase II-DNA complexes in murine mastocytoma cell nuclei (1088) 285
Denovan-Wright, E.M. and Wright, J.M.
Immunologically-related nucleic acid-binding proteins associated with the nuclear matrix of *Physarum polycephalum* (1088) 25
Devasagayam, T.P.A., Di Mascio, P., Kaiser, S. and Sies, H.
Singlet oxygen induced single-strand breaks in plasmid pBR322 DNA: the enhancing effect of thiols (1088) 409
Devriendt, K., Van den Berghe, H., Cassiman, J.-J. and Marynen, P.
Primary structure of pregnancy zone protein. Molecular cloning of a full-length PZP cDNA clone by the polymerase chain reaction (1088) 95
Di Mascio, P., see Devasagayam, T.P.A. (1088) 409
Dolan, J.W. and Fields, S.
Cell-type-specific transcription in yeast (1088) 155
DuBow, M.S., see Autexier, C. (1088) 147

Edwards, E.-W., see Murphy, D.J. (1088) 86
Eggermont, J.A., Wuytack, F. and Casteels, R.
Characterization of the 3′ end of the pig sarcoplasmic/endoplasmic-reticulum Ca^{2+} pump gene 2 (1088) 448
Emori, Y., see Ishida, S. (1088) 436
Eriksson, H., see Bartonek-Roxå, E. (1088) 245
Escoubas, J.M., see Sixou, S. (1088) 135
Eynard, N., see Sixou, S. (1088) 135

Farkašovský, M., Kormanec, J. and Kollárová, M.
Localization and characterization of a temporally regulated promoter from the *Streptomyces aureofaciens* 2201 plasmid pSA 2201 (1088) 119
Feller, G., Thiry, M. and Gerday, C.
Nucleotide sequence of the lipase gene *lip*3 from the antarctic psychotroph *Moraxella* TA144 (1088) 323
Fields, S., see Dolan, J.W. (1088) 155
Foster, R., Jahroudi, N. and Gedamu, L.
5-Azacytidine increases the total cellular copper content and basal level metallothionein mRNA accumulation of human Hep G2 cells (1088) 373
Friezner Degen, S.J., see Jamison, C.S. (1088) 208
Fujimoto, S., see Tomoda, T. (1088) 359
Fukaya, M., see Tamaki, T. (1088) 292

Ged, C. and Beaune, P.
Isolation of the human cytochrome *P*-450 IIC8 gene: multiple glucocorticoid responsive elements in the 5′ region (1088) 433
Gedamu, L., see Foster, R. (1088) 373
Gerday, C., see Feller, G. (1088) 323
Gibbons, T., see Murphy, D.J. (1088) 86
Gillies, S.D., see Lo, K.-M. (1088) 217
Glinsmann-Gibson, B., see Ciaccio, P.J. (1088) 319
Gould-Fogerite, S., see Reston, J.T. (1088) 270
Graves, P.E., see Ciaccio, P.J. (1088) 319
Greenwood, M. and Tsang, A.
Sequence and expression of annexin VII of *Dictyostelium discoideum* (1088) 429
Grisshammer, R., Oeckl, C. and Michel, H.
Expression in *Escherichia coli* of *c*-type cytochrome genes from *Rhodopseudomonas viridis* (1088) 183
Gromova, E.S., see Kubareva, E.A. (1088) 395
Gruber, A., Soldati, D., Burri, M. and Schümperli, D.
Isolation of an active gene and of two pseudogenes for mouse U7 small nuclear RNA (1088) 151
Guberska, J., see Staron, K. (1088) 36

Halpert, J.R., see Ciaccio, P.J. (1088) 319
Hashimoto, Y., Nishiyama, M., Ikehata, O., Horinouchi, S. and Beppu, T.
Cloning and characterization of an amidase gene from *Rhodococcus* species N-774 and its expression in *Escherichia coli* (1088) 225
Hayes, J.J. and Scovell, W.M.
cis-Diamminedichloroplatinum (II) modified chromatin and nucleosomal core particle probed with DNase I (1088) 413
Hébert, J., see Bonfils, C. (1088) 145
Heintz, N.
The regulation of histone gene expression during the cell cycle (1088) 327
Hemmer, S., see Nehls, U. (1088) 325
Hepburn, P.A. and Tisdale, M.J.
Importance of the O^6 position of guanine residues in the binding of DNA methylase to DNA (1088) 341
Hibino, Y., Iwakami, N. and Sugano, N.
A nuclease from rat-liver nuclei with endo- and exonucleolytic activity (1088) 305
Hipeau-Jacquotte, R., see Tiveron, M.-C. (1088) 390
Hirai, H., Natori, S. and Sekimizu, K.
Inhibitory action of phospholipid-interacting drugs on transcription initiation in a nuclear extract of Ehrlich ascites tumor cells (1088) 191
Ho, W.K.K., Liu, S.C., Shaw, P.C., Yeung, H.W., Ng, T.B. and Chan, W.Y.
Cloning of the cDNA of α-momorcharin: a ribosome inactivating protein (1088) 311
Horinouchi, S., see Hashimoto, Y. (1088) 225
Horinouchi, S., see Tamaki, T. (1088) 292
Houde, M., see Tiveron, M.-C. (1088) 390

Ikawa, Y., see Yanagisawa, H. (1088) 380
Ikehata, O., see Hashimoto, Y. (1088) 225
Ishida, S., Emori, Y. and Suzuki, K.
Rat calpastatin has diverged primary sequence from other mammalian calpastatins but retains functionally important sequences (1088) 436
Issinger, O.-G., see Boldyreff, B. (1088) 439
Ives, C.L., see Amano, H. (1088) 251
Iwakami, N., see Hibino, Y. (1088) 305

Jackson, P.J., see Murphy, D.J. (1088) 86
Jackson, R.J.
Potassium salts influence the fidelity of mRNA translation initiation in rabbit reticulocyte lysates: unique features of encephalomyocarditis virus RNA translation (1088) 345
Jahroudi, N., see Foster, R. (1088) 373
Jamison, C.S. and Friezner Degen, S.J.
Prenatal and postnatal expression of mRNA coding for rat prothrombin (1088) 208
Jessee, C.B., see Bambara, R.A. (1088) 11
Jurewicz, T.J., see Liteplo, R.G. (1088) 365

Kaiser, S., see Devasagayam, T.P.A. (1088) 409
Kawamukai, M., see Choi, Y.-L. (1088) 31
Kawamura, Y., see Tamaki, T. (1088) 292
Kawase, S., see Choi, Y.-L. (1088) 31
Keen, J.N., see Murphy, D.J. (1088) 86
Kenmochi, N., Maeda, N. and Tanaka, T.
The primary structure of chicken ribosomal protein L5 (1088) 445
Kistanova, E., see Titomirov, A.V. (1088) 131
Kollárová, M., see Farkašovský, M. (1088) 119
Komano, T., see Choi, Y.-L. (1088) 31
Kormanec, J., see Farkašovský, M. (1088) 119
Kowalska-Loth, B., see Staron, K. (1088) 36
Krieger, J., Raming, K. and Breer, H.
Cloning of genomic and complementary DNA encoding insect pheromone binding proteins: evidence for microdiversity (1088) 277
Krug, A., see Kubareva, E.A. (1088) 395
Kubareva, E.A., Gromova, E.S., Pein, C.-D., Krug, A., Oretskaya, T.S., Cech, D. and Shabarova, Z.A.
Oligonucleotide cleavage by restriction endonucleases *Mva*I and *Eco*RII: a comprehensive study on the influence of structural parameters on the enzyme–substrate interaction (1088) 395
Kubo, T., see Nanbu, R. (1088) 71
Kunkel, G.R.
RNA polymerase III transcription of genes that lack internal control regions (1088) 1
Kuramochi, S., see Yanagisawa, H. (1088) 380
Kurashige, T., see Tomoda, T. (1088) 359

Lambert, B., see Steen, A.-M. (1088) 77
Landry, S. and Zannis-Hadjopoulos, M.
Classes of autonomously replicating sequences are found among early-replicating monkey DNA (1088) 234
Lichter, J.B. and Storti, R.V.
In vitro transcription analysis of the *Drosophila* tropomyosin and other muscle genes (1088) 419
Liteplo, R.G. and Jurewicz, T.J.
Serum has a differential effect on DNA replication in a human melanoma cell line cultured in methionine or 5′-deoxy-5′-methylthioadenosine (1088) 365
Liu, S.C., see Ho, W.K.K. (1088) 311
Lo, K.-M. and Gillies, S.D.
High level expression of human proteins in murine hybridoma cells: induction by methotrexate in the absence of gene amplification (1088) 217
Lührmann, R., see Bach, M. (1088) 139

Maeda, N., see Kenmochi, N. (1088) 445
Mäenpää, P.H., see Mahonen, A. (1088) 111
Mahonen, A., Pirskanen, A. and Mäenpää, P.H.
Homologous and heterologous regulation of 1,25-dihydroxyvitamin D-3 receptor mRNA levels in human osteosarcoma cells (1088) 111
Mannino, R.J., see Reston, J.T. (1088) 270
Marynen, P., see Devriendt, K. (1088) 95
Mattiasson, B., see Bartonek-Roxå, E. (1088) 245
Maxwell, E.S., see Sarge, K.D. (1088) 57

McPartlin, A.E., Barker, H.M. and Cohen, P.T.W.
Identification of a third alternatively spliced cDNA encoding the catalytic subunit of protein phosphatase 2Bβ (1088) 308
Ménez, A., see Bouchier, C. (1088) 401
Michel, H., see Grisshammer, R. (1088) 183
Minoura, H., see Tanaka, M. (1088) 385
Muller, M. and Renkawitz, R.
The glucocorticoid receptor (1088) 171
Muller, S.J. and Caradonna, S.
Isolation and characterization of a human cDNA encoding uracil-DNA glycosylase (1088) 197
Murphy, D.J., Keen, J.N., O'Sullivan, J.N., Au, D.M.Y., Edwards, E.-W., Jackson, P.J., Cummins, I., Gibbons, T., Shaw, C.H. and Ryan, A.J.
A class of amphipathic proteins associated with lipid storage bodies in plants. Possible similarities with animal serum apolipoproteins (1088) 86

Nagasawa, T., see Yanagisawa, H. (1088) 380
Nakashima, K., see Tanaka, M. (1088) 385
Nanbu, R., Kubo, T., Ueno, K. and Natori, S.
Preferential deadenylation of *Sarcophaga* lectin mRNA during its acute phase expression (1088) 71
Natori, S., see Hirai, H. (1088) 191
Natori, S., see Nanbu, R. (1088) 71
Nehls, U., Hemmer, S., Röhlen, D.A., Van der Pas, J.C., Preis, D., Sackmann, U. and Weiss, H.
cDNA and genomic DNA sequence of the 21.3 kDa subunit of NADH : ubiquinone reductase (complex I) from *Neurospora crassa* (1088) 325
Ng, T.B., see Ho, W.K.K. (1088) 311
Nielsen, P.J.
Primary structure of a human protein kinase regulator protein (1088) 425
Nishiyama, M., see Hashimoto, Y. (1088) 225
Nishiyama, M., see Tamaki, T. (1088) 292
Nomura, Y., see Uehara, T. (1088) 41

Oeckl, C., see Grisshammer, R. (1088) 183
Okumura, H., see Tamaki, T. (1088) 292
Oretskaya, T.S., see Kubareva, E.A. (1088) 395
O'Sullivan, J.N., see Murphy, D.J. (1088) 86

Pein, C.-D., see Kubareva, E.A. (1088) 395
Piontek, K., see Boldyreff, B. (1088) 439
Pirskanen, A., see Mahonen, A. (1088) 111
Preis, D., see Nehls, U. (1088) 325

Ralph, R.K., see Darkin-Rattray, S.J. (1088) 285
Raming, K., see Krieger, J. (1088) 277
Renkawitz, R., see Muller, M. (1088) 171
Reston, J.T., Gould-Fogerite, S. and Mannino, R.J.
Potentiation of DNA mediated gene transfer in NIH3T3 cells by activators of protein kinase C (1088) 270
Röhlen, D.A., see Nehls, U. (1088) 325
Ryan, A.J., see Murphy, D.J. (1088) 86

Sackmann, U., see Nehls, U. (1088) 325
Sahlén, S., see Steen, A.-M. (1088) 77
Sakai, H., see Choi, Y.-L. (1088) 31
Sarge, K.D. and Maxwell, E.S.
Intermolecular hybridization of 5S rRNA with 18S rRNA: Identification of a 5′-terminally-located nucleotide sequence in mouse 5S rRNA which base-pairs with two specific complementary sequences in 18S rRNA (1088) 57
Schmidt, G. and Werner, D.
Nucleotide sequence of the murine prothymosin α cDNA and its deduced primary and secondary protein structure (1088) 442
Schmidt-Spaniol, I., see Boldyreff, B. (1088) 439
Schümperli, D., see Gruber, A. (1088) 151
Scovell, W.M., see Hayes, J.J. (1088) 413
Sekimizu, K., see Hirai, H. (1088) 191
Shabarova, Z.A., see Kubareva, E.A. (1088) 395
Shaw, C.H., see Murphy, D.J. (1088) 86
Shaw, P.C., see Ho, W.K.K. (1088) 311
Shishido, K., see Amano, H. (1088) 251
Sies, H., see Devasagayam, T.P.A. (1088) 409
Sixou, S., Eynard, N., Escoubas, J.M., Werner, E. and Teissié, J.
Optimized conditions for electrotransformation of bacteria are related to the extent of electropermeabilization (1088) 135
Smarrelli, Jr., J., see Callaci, J.J. (1088) 127
Soldati, D., see Gruber, A. (1088) 151
Staron, K., Kowalska-Loth, B., Czerwinski, R.M., Bandorowska, J. and Guberska, J.
Topoisomerase I in actively growing plasmodia and during differentiation of the slime mold *Physarum polycephalum* (1088) 36
Steen, A.-M., Sahlén, S. and Lambert, B.
Expression of the hypoxanthine phosphoribosyl transferase gene in resting and growth-stimulated human lymphocytes (1088) 77
Storti, R.V., see Lichter, J.B. (1088) 419
Sugano, N., see Hibino, Y. (1088) 305
Sukharev, S., see Titomirov, A.V. (1088) 131
Suzuki, K., see Ishida, S. (1088) 436

Takemura, H., see Tamaki, T. (1088) 292
Tamaki, T., Fukaya, M., Takemura, H., Tayama, K., Okumura, H., Kawamura, Y., Nishiyama, M., Horinouchi, S. and Beppu, T.
Cloning and sequencing of the gene cluster encoding two subunits of membrane-bound alcohol dehydrogenase from *Acetobacter polyoxogenes* (1088) 292
Tanaka, M., Minoura, H., Ushiro, H. and Nakashima, K.
A novel cDNA clone encoding a prolactin-like protein that lacks the two C-terminal cysteine residues isolated from bovine placenta (1088) 385
Tanaka, T., see Kenmochi, N. (1088) 445
Taniguchi, T., see Tomoda, T. (1088) 359
Tavakkol, A.
Molecular cloning of porcine α_1-microglobulin/HI-30 reveals developmental and tissue-specific expression of two variant messenger ribonucleic acids (1088) 47
Tayama, K., see Tamaki, T. (1088) 292
Teissié, J., see Sixou, S. (1088) 135
Thalmann, E. and Blaas, D.
Synthesis of γ-[4-(benzoylphenyl)methylamido]-7-methylguanosine 5′-triphosphate, a photoaffinity-label for cap-binding proteins (1088) 301
Thiry, M., see Feller, G. (1088) 323
Tisdale, M.J., see Hepburn, P.A. (1088) 341
Titomirov, A.V., Sukharev, S. and Kistanova, E.
In vivo electroporation and stable transformation of skin cells of newborn mice by plasmid DNA (1088) 131
Tiveron, M.-C., Houde, M., Vola, C., Hipeau-Jacquotte, R., Berreur, P. and Brégégère, F.
Inter-species complementation of a *rosy* deficiency in *Drosophila melanogaster* (1088) 390
Todokoro, K., see Yanagisawa, H. (1088) 380
Tokumitsu, Y., see Uehara, T. (1088) 41
Tomoda, T., Kurashige, T., Yamamoto, H., Fujimoto, S. and Taniguchi, T.
Fluctuation of gene expression for poly(ADP-ribose) synthetase during hemin-induced erythroid differentiation of human leukemia K562 cells and its reversion process (1088) 359

Tsang, A., see Bonfils, C. (1088) 145
Tsang, A., see Greenwood, M. (1088) 429

Uehara, T., Chihara, T., Tokumitsu, Y. and Nomura, Y.
Possible involvement of pertussis toxin-sensitive GTP-binding protein(s) in c-*fos* expression during differentiation of 3T3-L1 fibroblasts to adipocytes (1088) 41
Ueno, K., see Nanbu, R. (1088) 71
Ushiro, H., see Tanaka, M. (1088) 385

Van den Berghe, H., see Devriendt, K. (1088) 95
Van der Pas, J.C., see Nehls, U. (1088) 325
Vola, C., see Tiveron, M.-C. (1088) 390

Wani, A.A. and Yamasaki, E.F.
Quantitative analysis of carbodiimide modified DNA and immunoprobing by adduct specific antibodies (1088) 259
Weiss, H., see Nehls, U. (1088) 325
Werner, D., see Schmidt, G. (1088) 442
Werner, E., see Sixou, S. (1088) 135
Wragg-Légaré, S., see Autexier, C. (1088) 147
Wright, J.M., see Denovan-Wright, E.M. (1088) 25
Wuytack, F., see Eggermont, J.A. (1088) 448

Yamamoto, H., see Tomoda, T. (1088) 359
Yamasaki, E.F., see Wani, A.A. (1088) 259
Yanagisawa, H., Nagasawa, T., Kuramochi, S., Abe, T., Ikawa, Y. and Todokoro, K.
Constitutive expression of exogenous c-*myb* gene causes maturation block in monocyte-macrophage differentiation (1088) 380
Yeung, H.W., see Ho, W.K.K. (1088) 311

Zannis-Hadjopoulos, M., see Landry, S. (1088) 234
Zheng, Q. and Chang, D.C.
High-efficiency gene transfection by in situ electroporation of cultured cells (1088) 104